

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

富山県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C96	1,005.3	10.5	14.3	13.0	15.4	16.7	30.4	50.0	66.7	92.3	165.9	369.7	674.2	1,171.9	1,847.5	2,807.9	3,300.0	3,978.9	4,558.8	.
	口腔・咽頭	C00-C14	22.0	0.0	0.0	4.3	0.0	4.2	0.0	11.5	0.0	2.6	2.4	18.2	38.7	34.4	37.5	81.6	46.4	47.4	47.1	.
	食道	C15	37.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	0.0	24.2	19.4	62.5	87.5	110.5	128.6	136.8	105.9	.
	胃	C16	185.5	0.0	0.0	0.0	0.0	0.0	0.0	3.8	6.7	10.3	12.2	36.4	93.5	196.9	362.5	544.7	678.6	784.2	817.6	.
	大腸（結腸・直腸）	C18-C20	156.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.3	17.9	53.7	87.9	129.0	168.8	310.0	410.5	546.4	563.2	611.8	.
	結腸	C18	103.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.0	5.1	26.8	33.3	67.7	96.9	180.0	284.2	371.4	447.4	476.5	.
	直腸	C19-C20	53.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	12.8	26.8	54.5	61.3	71.9	130.0	126.3	175.0	115.8	135.3	.
	肝および肝内胆管	C22	44.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.1	2.4	21.2	22.6	46.9	77.5	123.7	153.6	205.3	205.9	.
	胆のう・胆管	C23-C24	26.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.5	18.8	50.0	47.4	107.1	121.1	211.8	.
	膵臓	C25	40.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	5.1	4.9	18.2	22.6	40.6	72.5	76.3	114.3	226.3	229.4	.
	喉頭	C32	8.8	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	0.0	0.0	3.0	3.2	6.3	27.5	23.7	21.4	52.6	23.5	.
	肺	C33-C34	143.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	5.1	14.6	27.3	83.9	196.9	252.5	423.7	432.1	573.7	788.2	.
	皮膚	C43-C44	20.8	0.0	0.0	0.0	0.0	4.2	4.3	0.0	3.3	2.6	2.4	15.2	9.7	12.5	30.0	60.5	39.3	94.7	147.1	.
	乳房	C50	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.3	0.0	5.3	0.0	.
	前立腺	C61	134.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	15.2	64.5	146.9	260.0	484.2	532.1	447.4	535.3	.
	膀胱	C67	30.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	2.6	4.9	12.1	16.1	34.4	42.5	60.5	110.7	147.4	200.0	.
	腎・尿路（膀胱除く）	C64-C66 C68	40.4	0.0	0.0	0.0	0.0	0.0	4.3	0.0	6.7	12.8	22.0	24.2	51.6	37.5	75.0	86.8	107.1	142.1	194.1	.
	脳・中枢神経系	C70-C72	7.1	0.0	0.0	4.3	0.0	0.0	4.3	7.7	3.3	5.1	9.8	12.1	6.5	12.5	7.5	7.9	21.4	10.5	5.9	.
	甲状腺	C73	8.8	0.0	0.0	0.0	0.0	0.0	0.0	3.8	3.3	2.6	9.8	15.2	9.7	12.5	15.0	18.4	17.9	26.3	17.6	.
	悪性リンパ腫	C81-C85 C96	35.1	0.0	0.0	0.0	3.8	0.0	0.0	3.8	0.0	7.7	9.8	18.2	38.7	46.9	57.5	78.9	92.9	184.2	135.3	.
	多発性骨髄腫	C88-C90	8.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.1	6.5	25.0	5.0	26.3	21.4	36.8	35.3	.
	白血病	C91-C95	14.5	10.5	14.3	4.3	3.8	4.2	4.3	0.0	3.3	2.6	0.0	6.1	35.5	12.5	15.0	36.8	28.6	47.4	52.9	.

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

富山県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C96	755.1	16.7	10.0	22.7	12.5	55.0	33.3	116.7	203.6	319.4	446.2	587.9	729.0	845.5	1,109.1	1,209.5	1,454.3	1,806.7	2,223.8	・
	口腔・咽頭	C00-C14	9.6	0.0	0.0	0.0	0.0	0.0	0.0	4.2	7.1	8.3	2.6	6.1	19.4	3.0	11.4	2.4	17.1	23.3	40.5	・
	食道	C15	7.0	0.0	0.0	0.0	0.0	5.0	0.0	0.0	0.0	0.0	2.6	9.1	6.5	9.1	6.8	11.9	20.0	16.7	19.0	・
	胃	C16	92.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.1	11.1	10.3	30.3	29.0	66.7	125.0	176.2	262.9	296.7	333.3	・
	大腸（結腸・直腸）	C18-C20	128.8	0.0	0.0	4.5	4.2	0.0	0.0	8.3	10.7	30.6	35.9	42.4	93.5	139.4	222.7	214.3	245.7	316.7	492.9	・
	結腸	C18	94.1	0.0	0.0	4.5	4.2	0.0	0.0	4.2	10.7	13.9	15.4	30.3	64.5	75.8	150.0	164.3	171.4	253.3	395.2	・
	直腸	C19-C20	34.8	0.0	0.0	0.0	0.0	0.0	0.0	4.2	0.0	16.7	20.5	12.1	29.0	63.6	72.7	50.0	74.3	63.3	97.6	・
	肝および肝内胆管	C22	19.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	6.1	9.7	9.1	13.6	28.6	42.9	86.7	88.1	・
	胆のう・胆管	C23-C24	24.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	12.1	9.7	18.2	15.9	11.9	62.9	46.7	161.9	・
	脾臓	C25	41.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	2.8	10.3	9.1	38.7	48.5	50.0	85.7	60.0	136.7	159.5	・
	喉頭	C32	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	2.9	0.0	2.4	・
	肺	C33-C34	70.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	11.1	12.8	12.1	35.5	60.6	131.8	169.0	142.9	200.0	235.7	・
	皮膚	C43-C44	17.7	0.0	0.0	0.0	0.0	5.0	0.0	4.2	3.6	0.0	12.8	12.1	6.5	18.2	18.2	16.7	37.1	36.7	88.1	・
	乳房	C50	153.2	0.0	0.0	0.0	0.0	0.0	0.0	33.3	82.1	152.8	212.8	248.5	258.1	254.5	231.8	200.0	211.4	266.7	176.2	・
	子宮	C53-C55	36.6	0.0	0.0	0.0	0.0	0.0	14.3	20.8	25.0	36.1	56.4	60.6	83.9	54.5	59.1	38.1	42.9	46.7	31.0	・
	子宮頸部	C53	15.3	0.0	0.0	0.0	0.0	0.0	14.3	16.7	17.9	19.4	30.8	24.2	19.4	9.1	15.9	14.3	20.0	23.3	19.0	・
	子宮体部	C54	20.1	0.0	0.0	0.0	0.0	0.0	0.0	4.2	7.1	16.7	25.6	36.4	61.3	42.4	40.9	23.8	22.9	16.7	9.5	・
	卵巣	C56	20.0	0.0	0.0	4.5	0.0	25.0	4.8	25.0	25.0	13.9	30.8	27.3	19.4	24.2	20.5	40.5	17.1	33.3	14.3	・
	膀胱	C67	12.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.1	20.5	16.7	14.3	36.7	73.8	・
	腎・尿路（膀胱除く）	C64-C66 C68	18.7	5.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.6	2.6	9.1	12.9	12.1	27.3	21.4	57.1	70.0	57.1	・
	脳・中枢神経系	C70-C72	6.1	5.6	5.0	0.0	0.0	0.0	0.0	0.0	0.0	5.6	2.6	6.1	3.2	6.1	11.4	11.9	8.6	16.7	11.9	・
	甲状腺	C73	22.7	0.0	0.0	9.1	0.0	20.0	0.0	8.3	25.0	25.0	25.6	36.4	48.4	33.3	22.7	26.2	40.0	20.0	23.8	・
	悪性リンパ腫	C81-C85 C96	31.6	0.0	5.0	0.0	0.0	0.0	0.0	0.0	7.1	5.6	7.7	18.2	12.9	42.4	68.2	66.7	60.0	100.0	71.4	・
	多発性骨髄腫	C88-C90	6.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.1	3.2	9.1	6.8	9.5	20.0	0.0	35.7	・
	白血病	C91-C95	8.9	0.0	0.0	0.0	0.0	0.0	4.8	12.5	0.0	0.0	2.6	9.1	19.4	3.0	9.1	11.9	31.4	26.7	11.9	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

富山県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C96	876.5	13.5	12.2	17.8	14.0	34.1	31.8	82.0	132.8	201.3	302.5	478.8	701.6	1,006.2	1,460.7	1,968.8	2,274.6	2,649.0	2,896.6	・
	口腔・咽頭	C00-C14	15.6	0.0	0.0	2.2	0.0	2.3	0.0	8.0	3.4	5.3	2.5	12.1	29.0	18.5	23.8	40.0	30.2	32.7	42.4	・
	食道	C15	21.9	0.0	0.0	0.0	0.0	2.3	0.0	0.0	1.7	0.0	1.3	16.7	12.9	35.4	45.2	58.8	68.3	63.3	44.1	・
	胃	C16	137.7	0.0	0.0	0.0	0.0	0.0	0.0	2.0	6.9	10.7	11.3	33.3	61.3	130.8	238.1	351.3	447.6	485.7	472.9	・
	大腸（結腸・直腸）	C18-C20	142.4	0.0	0.0	2.2	2.0	0.0	0.0	4.0	12.1	24.0	45.0	65.2	111.3	153.8	264.3	307.5	379.4	412.2	527.1	・
	結腸	C18	98.8	0.0	0.0	2.2	2.0	0.0	0.0	2.0	10.3	9.3	21.3	31.8	66.1	86.2	164.3	221.3	260.3	328.6	418.6	・
	直腸	C19-C20	43.7	0.0	0.0	0.0	0.0	0.0	0.0	2.0	1.7	14.7	23.8	33.3	45.2	67.7	100.0	86.3	119.0	83.7	108.5	・
	肝および肝内胆管	C22	31.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	2.5	13.6	16.1	27.7	44.0	73.8	92.1	132.7	122.0	・
	胆のう・胆管	C23-C24	25.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	6.1	8.1	18.5	32.1	28.8	82.5	75.5	176.3	・
	膵臓	C25	40.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.2	4.0	7.5	13.6	30.6	44.6	60.7	81.3	84.1	171.4	179.7	・
	喉頭	C32	4.6	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	0.0	1.5	1.6	3.1	13.1	12.5	11.1	20.4	8.5	・
	肺	C33-C34	106.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	8.0	13.8	19.7	59.7	127.7	189.3	290.0	271.4	344.9	394.9	・
	皮膚	C43-C44	19.2	0.0	0.0	0.0	0.0	4.5	2.3	2.0	3.4	1.3	7.5	13.6	8.1	15.4	23.8	37.5	38.1	59.2	105.1	・
	乳房	C50	79.2	0.0	0.0	0.0	0.0	0.0	0.0	16.0	39.7	73.3	103.8	124.2	129.0	129.2	121.4	107.5	117.5	165.3	125.4	・
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	21.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	1.3	2.5	6.1	8.1	20.0	31.0	37.5	57.1	79.6	110.2	・
	腎・尿路（膀胱除く）	C64-C66 C68	29.2	2.7	0.0	0.0	0.0	0.0	2.3	0.0	3.4	9.3	12.5	16.7	32.3	24.6	50.0	52.5	79.4	98.0	96.6	・
	脳・中枢神経系	C70-C72	6.6	2.7	2.4	2.2	0.0	0.0	2.3	4.0	1.7	5.3	6.3	9.1	4.8	9.2	9.5	10.0	14.3	14.3	10.2	・
	甲状腺	C73	16.0	0.0	0.0	4.4	0.0	9.1	0.0	6.0	13.8	13.3	17.5	25.8	29.0	23.1	19.0	22.5	30.2	22.4	22.0	・
	悪性リンパ腫	C81-C85 C96	33.3	0.0	2.4	0.0	2.0	0.0	0.0	2.0	3.4	6.7	8.8	18.2	25.8	44.6	63.1	72.5	74.6	132.7	89.8	・
	多発性骨髄腫	C88-C90	7.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.6	4.8	16.9	6.0	17.5	20.6	14.3	35.6	・
	白血病	C91-C95	11.6	5.4	7.3	2.2	2.0	2.3	4.5	6.0	1.7	1.3	1.3	7.6	27.4	7.7	11.9	23.8	30.2	34.7	23.7	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計